COMS W4182: Computer Security II



◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへで

PLEASE WEAR A MASK IN CLASS

▲□▶▲圖▶▲圖▶▲圖▶ 圖 のQの

COMS W4182: Computer Security II

- Security architecture
- Security engineering
- How to think about security
- How to think about insecurity...
 - A successor to COMS W4181, Computer Security I

- Primarily, security professionals
- Security architects, security reviewers, etc.
- (But 4181 is for all programmers)

- COMS W4181 is a *prerequisite* for this class—I *assume* that you know the material in it
- However—in this very bureaucratic university, SSOL does not enforce prerequisites
- A prerequisite is a *warning*: you are expected to know the material
- I will not ask anyone if they've taken 4181 or not
- But—I will not review encryption algorithms, firewalls, etc.
- If you have any doubts, see me

- How to put the pieces together
- How to spot the risky parts
- How to evaluate an architecture

- Putting the pieces together
- Tradeoffs
- Balancing cost, security, usability, acceptability, and more

3

イロト イポト イヨト イヨト

- Security is a property of the overall design
- You do *not* get security by sprinkling on crypto or by forcing people to change their passwords frequently
- Those can sometimes help—but bad people go around strong security, not through it
- Security is a systems property

- The bad people don't follow the rules
- To understand how to secure a system, you have to understand what sort of attacks are possible
- Note that that is *not* the same as actually launching them...

- Lecture format
- Syllabus subject to change to discuss current events
- Approximate grading percentages:

Homework 48% Midterm 21%

Final 31%

Experience suggests that the exact percentages are not that important (and may change slightly)

- Grades will be posted on Courseworks
- Yes, I curve

- Thinking Security: Stopping Next Year's Hackers, Steven M. Bellovin, Addison-Wesley, 2016, ISBN 0-13-427754-6, 0-13-427754-6. (Only the ebook is available, and not from Amazon...)
- Security Engineering, Second Edition, Ross J. Anderson, Wiley, 2008, ISBN-13: 978-0470068526, ISBN-10: 0470068523.
- Some primary source material—I assume you all know how to use the library and/or electronic resources. (Hint: Google does not (yet?) have access to all of the world's knowledge.)
- Note: ACM and IEEE readings are often only easily available from the campus network.
- Yes, there is a lot of assigned reading.

- For grading issues, approach the TAs within two weeks; if you don't receive a satisfactory answer, contact me.
- For issues relating to this class, email smb+4182@cs...
- That lets me auto-sort class-related mail and keep better track of things

- There will be several written assignments during the term
- The form required *will* be different each time—make sure you read the instructions
- Yes, those matter
- I want analysis and not just recounting of facts, i.e., not just "what" but "why"

- (I haven't quite decided if there will be programming homework)
- All programming homework *must* be done in C or C++ unless otherwise instructed. Don't bother asking for exceptions.
- But: test harnesses or programs to generate test data may be written in any language you choose
 - Turn in a single tar file, including a Makefile; if necessary, include test data and a README file with execution instructions
 - All programs *must* compile and run on Linux on the Google Cloud machines; zero credit for programs that don't compile. Note that this means you must be comfortable compiling and running code on Linux.
 - Because most security problems are due to buggy code, there will be copious deductions for bugs or for inadequate documentation

- Programs must compile and run on Linux on the Google Cloud machines
- You can do your initial development on any platform you want—but you *must* make sure that the submitted version works on Google Cloud

- Generally, you are free to use any binary software installed on the Google Cloud machines
- Generally, you are welcome to use any open source software if (a) all such files are in a separate subdirectory from anything you write; (b) you clearly identify the origin of all such code; and (c) it all compiles seamlessly if the grader just types 'make' in the parent directory.
- *Exception:* you may not use outside code that accomplishes the primary purpose of the assignment.
- If in doubt, ask me *first*.

◆□▶ ◆□▶ ◆三▶ ◆三▶ ● ● ● ●

- Discussing homework with others is encouraged—but all programs and written material *must* be individual work unless otherwise instructed.
- Please use appropriate permission mechanisms to protect your homework. (Looking at other people's work is forbidden.)
- Zero tolerance for cheating
- See the department's honesty policy:


http://www.cs.columbia.edu/education/honesty. I will assume that you have all read it; you are in any event responsible for its terms and provisions.

- Taking a computer security class is *not* an excuse for hacking
- "Hacking" is any form of unauthorized access, including exceeding authorized permissions
- The fact that a file or computer is not properly protected is no excuse for unauthorized access
- If the owner of a resource invites you to attack it, such use is authorized
- For more details, see

http://www.columbia.edu/cu/policy/network_use.html

 Absolutely no Trojan horses, back doors, or other malicious code in homework assignments

Not How I Teach It!



(Used with permission; see http://www.nukees.com)

イロト (四) (ヨ) (ヨ) (ヨ) ()

- All exams are open books, open notes—but they won't help you very much. . .
- To see the kinds of questions I ask, see the (posted!) midterms with solutions at https://www.cs.columbia.edu/~smb/classes/#Slist
- See especially Computer Security II and Security Architecture and Engineering

- Feel free to contact me during my office hours
- Zoom is best, but I have some in-person availability, too
- I'll announce changes on my home page
- I'm amenable to meeting other times, by appointment, especially if you want to have a long conversation—office hours are for walk-ins. You're welcome to email me at any other time, but I reserve the right to answer later
- If you have any questions, please use email rather than telephone

- Connect just to talk (a good idea if you think you'll want me to write a recommendation...)
- You don't need to be in trouble to talk with me...

イロト イポト イヨト イヨト

- Probable midterm date: February 28
- The final will be held on the date specified by the registrar. The current projection is Tuesday, May 9, 1:10-4:00—but that's **tentative**. Do *not* make any travel plans that involve leaving campus before that.
- I'm contemplating having an oral exam instead for the final...

• ???

COMS W4182: Computer Security II

- I prepare slides for each class, and upload them shortly before class time
- Slides (and other information) are uploaded to my web page
- Well, occasionally they're uploaded shortly after class...

- As noted, four or five homework assignments
- Homeworks are designed for practice, teaching, and evaluation
- Homeworks must be submitted electronically by the start of class
- Homeworks received later that day lose 5%, the next day 10%, two days late 20%, three days late 30%; after that, zero credit
- Exceptions granted only for *unforeseeable* events, e.g., Covid. Workload, day job, etc., are quite foreseeable.
- No grace period, no freebies
- Problems? See me before the due date

- If four homeworks total 48%, each one is 12%
- If you miss one assignment, that's 12% off your final average
- That's generally more than a single letter grade
- An 88% can be a B...

- You're all adults
- You're all responsible for your own actions
- If there's something missing, you have to tell me as soon as possible
- The earlier I know of a problem, the more I can do to help

- Will the university go fully remote this term?
- 🎓 I of course don't know
 - If you have to quarantine or isolate, or have Covid?
- All lectures will be on Zoom and recorded; you'll be able to attend remotely or watch later. (See the Zoom Class Session and Video Library links on Courseworks.)
 - If I get Covid?
- 🎓 Good question...

- This is not a pure academic-style security course
- A lot of (in)security is about doing the unexpected
- The ability to "think sideways" is a big advantage

"What are you trying to protect, and against whom?"

- Some assets are more valuable than others
- Different enemies have different goals
- Different enemies have different abilities

You don't want to spend too much—but you also don't want to spend too little.

- Security is keeping unauthorized entities from doing things you don't want them to do.
- This definition is too informal...

э.

イロト イポト イヨト イヨト

The standard definition: CIA

- Confidentiality
- Integrity
- Availability

æ –

- "The property that information is not made available or disclosed to unauthorized individuals, entities, or processes [i.e., to any unauthorized system entity]." [definitions from RFC 4949]. Not the same as *privacy*.
- Contrast with *privacy*: "The right of an entity (normally a person), acting in its own behalf, to determine the degree to which it will interact with its environment, including the degree to which the entity is willing to share information about itself with others." Privacy is a reason for confidentiality
- The traditional focus of computer security

- **data integrity**: "The property that data has not been changed, destroyed, or lost in an unauthorized or accidental manner."
- **system integrity**: "The quality that a system has when it can perform its intended function in a unimpaired manner, free from deliberate or inadvertent unauthorized manipulation."
- Often of more commercial interest than confidentiality

- "The property of a system or a system resource being accessible and usable upon demand by an authorized system entity, according to performance specifications for the system; i.e., a system is available if it provides services according to the system design whenever users request them."
- Turning off a computer provides confidentiality and integrity, but hurts availability...
- Denial of service attacks are direct assaults on availability

- It's obvious that violations of integrity can be used to compromise confidentiality
- In some situations, violations of availability can be used that way as well

- Oldest known source: Saltzer and Schroeder, 1975, which used different language: "unauthorized information release," "unauthorized information modification," and "unauthorized denial of use."
- A 1991 National Academies study did use the CIA terminology
- The actual source: a 1990 NASA booklet, drawing on earlier presentations by Ross Leo

- I don't really like that definition
- Example: is a modification to a log file an integrity violation?
- Example: what about RAM-resident malware?
- Example: what if I cryptanalyze a site's private key but don't use it?
- Most important: it doesn't give us any guidance on how to secure a system

- Definition 1 (Security) A system is secure if there are no unauthorized changes possible to the execution environment of any user.
- Definition 2 (Functional Security) A system is functionally secure if it is *infeasible* for an attacker to *materially* change the execution environment of any user.
- These definitions will be used throughout the semester.

- At any point, every user of a system can perform certain operations on certain resources. We call this the *execution environment*.
- There are sometimes authorized transitions to different execution environments, e.g., after logging in
- Similar to access control matrices

- Insecurity is defined as someone having unintended abilities
- It doesn't matter how they obtained those abilities or if they've used them

A B > A B > A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A

- List all proceses and files in a matrix
- Each row is a process ("subject")
- Each column is a file ("object")
- Each matrix entry is the access rights that subject has for that object

Subjects *p* and *q* Objects *f*, *g*, *p*, *q* Access rights r (read), w (write), x (execute), o (owner)

	f	g	p	q
р	rwo	r	rwx	W
q	-	r	r	rwxo

- Append
- Delete file
- Owner (can change ACL)
- Many more are possible

э.

イロン イボン イヨン イヨン

- System can transition from one ACM state to another
- Primitive operations: create subject, create object; destroy subject, destroy object; add access right; delete access right
- Transitions are, of course, conditional

Process p wishes to give process q read access to a file f owned by p.

```
command grant_read_file(p, f, q)
    if o in a[p, f]
    then
        enter "r" into a[q, f]
    else
        (signal error condition)
    fi
end
```

- You can't solve it one component at a time
- It's not a matter of adding cryptography or using better passwords
- Firewalls don't do it, either
- All of these things help—but all of the components interact

vulnerability An error or weakness in the design, implementation, or operation of a system
 attack A means to exploit some vulnerability in a system
 threat An adversary that is motivated and capable of exploiting a vulnerability
 (Definitions from *Trust in Cyberspace*)

- The technical failing in a system
- The primary focus of most computer security classes
- If you can close the vulnerabilities, the threats don't matter
- Or do they?

- Different enemies have different abilities
- Teenage joy-hackers can't crack a modern cryptosystem
- Serious enemies can exploit the "three Bs": burglary, bribery, and blackmail
- But are they motivated to attack you?
- You can't design a security system unless you know who the enemy is



Opportunistic hacks

Joy hacks

Targeted attacks

A B > A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A
 A

Advanced Persistent Threats

Degree of Focus \longrightarrow

э.

Joy hackers Beginners; doing it for fun; little knowledge or focus Opportunistic attackers Often very good but will hit any vulnerable target Targetiers Focuses on particular target; gathers background information, but not necessarily skilled APT Skilled and focused.

- The most dangerous attacker
- Still a wide range, from skilled criminals to some governments to very advanced cyberwarfare and cyberespionage activities—think Stuxnet
- The US? China? Russia? Israel? North Korea? (I'm blaming the "Andromedans"...)
- Caution: many corporations blame ordinary penetrations on APTs

"Humans are incapable of securely storing high-quality cryptographic keys, and they have unacceptable speed and accuracy when performing cryptographic operations. They are also large, expensive to maintain, difficult to manage, and they pollute the environment. It is astonishing that these devices continue to be manufactured and deployed, but they are sufficiently pervasive that we must design our protocols around their limitations."

Network Security: Private Communication in a Public World, Kaufman, Perlman, and Speciner

- Sometimes, requirements are inconsistent and/or incomplete
- Conflicts:
 - Security versus cost
 - Security versus performance
 - Security versus acceptability and culture
 - Security versus usability
 - Security versus security!
- We'll discuss how to detect and analyze such conflicts

- The problem is overconstrained
- Among the contraints are cost, human behavior, and ease of operation
- In the real world, realistic security is often far more important than theoretical security
- What are you trying to protect against whom?

- Thinking about security
- Mechanisms
- Threat analysis
- Security architecture
- Assurance
- In short, engineering secure systems

-

PLEASE WEAR A MASK IN CLASS

COMS W4182: Computer Security II

Questions?



(Red-tailed hawk and half-moon, Low Plaza, December 29, 2022)